Estuaries Vol. 2, No. 4, p. 283–286 December 1979

# General Index


A

*Acartia*
  *clausi*, 228–35
  *hudsonica*, 228
  *longiremis*, 228–35
  *tonsa*, 97, 102–3, 228–35
  sp., 265
*Acinetobacter* spp., 196
*Acteon punctostriatus*, 81
Adams, Patrick Campbell, in memorium, 68
Age of searobins, 255–88
*Alcaligenes*, 194–6
Alewife, spawning population estimation of, 119–23
*Alosa pseudoharengus*, 119–23
Amino acids in salt marsh soils, 113–8
*Ampelisca vadorum*, 265
Amphipod crustaceans of North Carolina, 66
*Anchoa mitchilli*, 157, 263
Anchovy, bay, 157
Aransas Pass, Texas, tidal dynamics of, 218–27
*Argopecten irradians*, 206–8
Armstrong, P. B., W. B. Lyons, and H. E. Gaudette, 198–201

B

Bacteria
  colonization of microdetritus, 184–8
  of surface microlayer, 194–7
Bacterial
  ecology, 194–7
  taxonomy, 194–7
*Balanus*
  *eburneus*, 204–5
  *improvisus*, 204–5
  *subalbidus*, 204–6
Baltimore Harbor, bioassay of sediments, 141–53
Barataria Waterway, Louisiana, 204
Barnacle as a salinity indicator, 204–6
Bayou Lafourche, Louisiana, 204
Bay-shelf water exchanges, 218–27
Beach
  processes, 271–3
  protection, 271–3
  restoration, 271–3
Benthic infauna,
  caging experiments,
    1973, 71
    1974, 71
  experimental treatments on, 70–1
  patterns of predation on, 69–86
Benthic metabolism chamber, 178–83
Bioassay, Baltimore Harbor sediments, 141–53
Bluefish, 9
Bivalves, 71, 82, 83, 84
*Bolinopsis microptera*, 100
Bozuz Creek, South Carolina, 154–63
*Branhamella* spp., 196
Breeding cycles of *Acartia*, 228–35
Brook, I. M., 54–8
Burle, E., and W. W. Kirby-Smith, 206–8

C

*Calanus*, 233
  *finmarchicus*, 62
Calico Creek, North Carolina,
  physico-chemical environment, 88–90
  phytoplankton population dynamics, 87–96
*Callinectes sapidus*, 9–15, 64–5, 69, 70, 157
Canary Creek, Delaware, terrapins in, 28–33
Carbon, inorganic, requirements of phytoplankton, 236–48
*Carcinus maenus*, 249
Carter, H. H., J. R. Schubel, and W. M. Wise, 201–3
*Centropages*, 233
  *typicus*, 61–3
*Ceratium furca*, 62
Chamber, benthic metabolism, 178–83
Chang, K., C. Tsai, J. Welch, J. Shaeffer, and L. E. Cronin, 141–53
Chesapeake Bay, 236–48
  cadmium, contaminant of sediments of, 40–44
  hard clams in, 1–8
  migration of *Centropages typicus* in, 61–3
Chipman, W. A., Jr., in memorium, 280
*Chlamydomonas*, 91
  *reinhardtii*, 236
Chrzanowski, T. H., L. H. Stevenson, and R. T. Weiland, 126–9
Clam,
  hard, heavy metals in, 1–8
  soft-shelled, 142–52
    cadmium accumulation in, 40–4
*Clausocalanus*, 233
*Clibanarius vittatus*, 175
*Coccolithus huxleyi*, 236
Cod, 269
Cole, C. F., Rideout, S. G., and J. E. Johnson, 119–23
Colonization of microdetritus by microbes, 184–8
Copepod, 273–6
  effects of oil on, 273–6
  harpacticoid, salinity stress in, 132–5
Copepoda, 228–35
Cordgrass,
  effect of sewage sludge fertilization on, 50–3
  growth dynamics of, 50–3
Corpus Christi Bay, Texas, 201–3
Crab,
  blue, 69–84, 157
    detection of naphthalene by, 64–5
    Kepone in, 9–15
  green, 249
  hermit, 175
  horseshoe, 249
  xanthid mud, 172–7
*Crangon septemspinosa*, 263–5, 267, 278
*Crassostrea virginica*, 9, 173, 206
*Crepidula fornicata*, 45–9

C

Croaker, Atlantic, 157
Cronin, L. E., C. Tsai, J. Welch, K. Chang, and J. Shaeffer, 141–53
Ctenophores, 97–105
  effect of temperature and size, 99–100
  feeding rate and food concentration, 98–9
  relative importance of predation, 102
*Cyathura polita*, 276
*Cynoscion regalis*, 269–70

D

Damariscotta River, Maine, 228–35
Davis Bay, Mississippi, 204
Dean, J. M., and J. M. Shenker, 154–63
Dean, T. A., L. E. Hurd, and G. W. Smedes, 28–33
Desiccation tolerance of *Eurypanopeus depressus*, 172–7
*Diastylis quadrispinosus*, 265
*Distichlis spicata*, 16–21
Diversity of larval and juvenile fish, 154–63
Drifmeyer, J. E., and J. C. Zieman, 16–21
*Drupa granulata*, 273
*Dunaliella tertiolecta*, 59, 239–45

E

*Edwardsia elegans*, 71, 82
Eel, worm, 157
Electrophoresis of grey trout serum, 269–70
Elmer, D. A., M. L. Gleason, N. C. Pien, and J. S. Fisher, 271–3
*Ensis directus*, 263
*Enterobacter*, 194
*Erichthonius rubricornis*, 66
Essex Bay, Massachusetts, 249–54
*Eteone heteropoda*, 80
*Eurypanopeus depressus*, 172–7
*Eurytemora affinis*, 274

F

Faas, L. J., J. L. Oglesby, A. J. Wilson, Jr., S. C. Schimmel, and J. M. Patrick, Jr., 9–15
Fehon, W. C., and J. D. Oliver, 194–7
*Fimbristylis spadicea*, 18
Finney, C. M., 132–5
Fish
  anchovy, bay, 157
  bluefish, 9
  cod, 269
  croaker, Atlantic, 157
  eel, worm, 157
  flounder,
    bothid, 276–9
    southern, 276–9
    starry, 269
    summer, 276–9
    winter, 249
  goby, seaboard, 22–7
  halibut, Pacific, 269
  hogchoker, 70

larval and juvenile, in salt marsh creek, 154–63
mullet, 157
mummichog, 142–52, 249–54
perch, white, 129–32
pinfish, 157, 176
searobin, 255–66
silversides, Atlantic, 157
spot, 69, 70, 142–52, 157–8
trout, grey, 269–70
tuna, 269
Fisher, J. S., M. L. Gleason, D. A. Elmer, and N. C. Pien, 271–3
Flax Pond, Long Island, New York, 178–83
Flounder,
bothid, food of, 276–9
southern, 276–9
starry, 269
summer, 276–9
winter, 249
Food habits of
*Fundulus heteroclitus*, 249–54
searobins, 255–66
southern flounder, 276–9
summer flounder, 276–9
Formaldoxime colorimetric method, 198–201
Fort Pierce Inlet, Florida, optical properties of water, 164–71
*Fucus*, community metabolism, 182
*Fundulus heteroclitus*, 142–52
food study of, 249–54

G

*Gadus morhua*, 269
*Gammarus*, 276
*oceanicus*, 273–4
Gardner, W. S., and R. B. Hanson, 113–8
Gastropod larvae, leakage of carbon by, 45–9
Gaudette, H. E., P. B. Armstrong, and W. B. Lyons, 198–201
Georgia coastal waters, nitrogen pools in, 34–9
Georgia salt marsh, growth dynamics of cordgrass in, 50–3
Gilliland, L. E., M. J. Thompson, and L. K. Rosenfeld, 164–71
*Gitanopsis tortugae*, 66
Gleason, M. L., D. A. Elmer, N. C. Pien, and J. S. Fisher, 271–3
*Glycera dibranchiata*, 81
*Glycinde solitaria*, 78–9
*Gobiosoma*
*bosci*, 26
*ginsburgi*, life history aspects in Rhode Island, 22–7
*longipala*, 26
*robustum*, 26
Goby, seaboard, 227
Grant, J., and J. McDonald, 172–7
Grass, turtle, 54, 56
Great Bay, New Hampshire, 198–201
Grimes, C. B., and J. E. Hollingsworth, 123–6
Growth of bay scallop on artificial diet, 206–8
Growth rates of searobins, 255–66
*Gymnodinium nelsoni*, 239, 242–5

H

Haines, E. B., 34–9, 50–3
Halibut, Pacific, 269
Hall, C. A. S., N. Tempel, and B. J. Peterson, 178–83
Hall, L. W., Jr., C. H. Hocutt, and J. R. Stauffer, Jr., 129–32
Hanson, R. B., and W. S. Gardner, 113–8
Heaton, J. S., K. B. Schmitz, and H. H. White, 61–3
*Heteromastus filiformis*, 69, 71, 76, 84
*Heterophlias seclusus*, 66
*Hippoglossus stenolepis*, 269
Hocutt, C. H., J. R. Stauffer, Jr., and L. W. Hall, Jr., 129–32
Hogchoker, 70
Hollingsworth, J. E., and C. B. Grimes, 123–6
*Homarus americanus*, 65, 263, 273
Hurd, L. E., G. W. Smedes, and T. A. Dean, 28–33
Hypersaline bottom water, 189–93

I

International Conference on Coastal Engineering, 67–68
*Isochrupis galbana*, 46, 48, 59

J

James River, Virginia,
contamination of,
by Kepone, 9–15
by metals, 1–8
hard clams in, 1–8
*Janua*
*brasiliensis*, 213–7
*pagenstecheri*, 213, 216
Jeffrey, J. E., and H. A. Russell, 269–70
Johnson, J. E., C. F. Cole, and S. G. Rideout, 119–23
*Juncus*
*gerardi*, 17
*roemerianus*, 16, 17, 18, 156

K

Kelso, W. E., 249–54
Kepone, in blue crabs, 9–15
Kirby-Smith, W. W., and E. Burle, 206–8
Kremer, P., 97–105
Kuenzler, E. J., and J. G. Sanders, 87–96

L

*Labidocera aestiva*, 265
*Lagodon rhomboides*, 176
Lake Pontchartrain, Louisiana, 204–6
*Laminaria digitata*, 213, 216
Larsen, P. F., 1–8
Leatherman, S. P., 135–6
Lee, W. Y., and B. J. McAlice, 228–35
*Leiostomus xanthurus*, 69, 70, 142–52, 157
*Lembos unicornis*, 66
Light scattering and extinction, in water, 164–171
*Limulus polyphemus*, 249
*Listriella* sp., 277
*Littorina irrorata*, 87, 273
Lobster, 65
Loftus, M. E., A. R. Place, and H. H. Seliger, 236–48
Long Island Sound, New York, 255–66
Lotspeich, R. A., and T. A. Munroe, 22–7
*Lunatia heros*, 249
Lyons, W. B., P. B. Armstrong, and H. E. Gaudette, 198–201
*Lyonsia hyalina*, 69, 71, 83, 84
*Lyrodus pedicellatus*, 58–60

M

*Macoma balthica*, 207
*Malaclemys t. terrapin*, 28–33
Management system for storage and manipulation of life history, catch, and angler effort data, 123–6
Manganese, in anoxic sediments, 198–201
Mann, J. M., S. W. Richards, and J. A. Walker, 255–66
Marsh, D. H., and W. E. Odum, 184–8
Marsh plants, 271–3
McAlice, B. J., and W. Y. Lee, 228–35
McDonald, J., and J. Grant, 172–7
Mendelssohn, I. A., 106–12
*Menidia menidia*, 157, 263
*Mercenaria mercenaria*, 1–8, 249
Metabolism, benthic, 178–83
Metals, in sediments, 144–6
Meteorological forcing, 218–27
Microbial
biomass, freshwater intrusion on, 126–9
colonization of microdetritus, 184–8
*Microciona prolifera*, 173
Microdetritus, microbial colonization of, 184–8
*Micropogon undulatus*, 157
*Mnemiopsis leidyi*, 97–105
predatory impact of, 101–2
voracity of, 101
*Monodus*, 93, 95
*Morone*, 269
*americana*, 129–32
*Mugil* spp., 156–7
*Mulinia lateralis*, 69, 71, 82, 84
Mullet, 157
Mummichog, 142–52, 249–54
Munroe, T. A., and R. A. Lotspeich, 22–7
*Mya arenaria*, 40–4, 71, 76, 81–2, 84, 142–52
*Myrophis punctatus*, 157
*Mytilus*
*edulis*, 206
*variabilis*, 273

N

*Nannochloris* sp., 91
Narragansett Bay, Rhode Island,
predation by *Mnemiopsis leidyi* in, 97–105
zooplankton abundance in, 103–4
*Nassarius obsoletus*, 45–9
*Navicula arvensis*, 91, 92, 94
*Neisseria*, 196

Nelson, W. G., 66, 213–7
*Neomysis americana*, 263–5, 267, 276, 277
*Nephroselmis giloa*, 91
*Nereis succinea*, 71, 80
*Nitocra affinis*, 273–6
Nitrogen pools, in Georgia coastal water, 33–9
*Nitzschia*
  *closterium*, 92, 133
  *proxima*, 92
North Inlet estuary, South Carolina, 154–63

O

Odum, W. E., and D. H. Marsh, 184–8
Oglesby, J. L., A. J. Wilson, Jr., S. C. Schimmel, J. M. Patrick, Jr., and L. J. Faas, 9–15
Oil, effects on copepod, 273–6
Oliver, J. D., and W. C. Fehon, 194–7
Olla, B. L., W. H. Pearson, 64–5
Optical properties of water, 164–71
*Ovalipes ocellatus*, 267
Oxygen content of hypersaline water, 189–93
Oyster, eastern, 173
  as food source for blue crabs, 9–15

P

*Palaemonetes pugio*, 157
Pamlico River, North Carolina, 93, 95
  *Mnemiopsis leidyi* in, 97, 102
Pamlico Sound, North Carolina, 276–9
*Paralichthys*, 156–7
  *dentatus*, 276–9
  *lethostigma*, 276–9
*Paraprionospio pinnata*, 71, 79
Parker River, Massachusetts, migrating alewives in, 119–23
Partridge, M. R., and M. A. Poirrier, 204–6
Patrick, J. M., Jr., L. J. Faas, J. L. Oglesby, A. J. Wilson, Jr., and S. C. Schimmel, 9–15
PCB's, in sediments, 144–6
Peard Bay, Alaska, 189–93
Pearson, W. H., and B. L. Olla, 64–5
Pechenik, J. A., 45–9
  F. E. Perron, and R. D. Turner, 58–60
*Pectinaria gouldii*, 71, 83, 84
*Peloscolex gabriellae*, 69, 71, 72
*Penaeus*
  *aztecus*, 201–2
  *setiferus*, 65
Perch, white, temperature preference of, 129–32
Permafrost, 189–93
Perron, F. E., R. D. Turner, and J. A. Pechenik, 58–60
Peterson, B. J., C. A. S. Hall, and N. Tempel, 178–83
Phelps, H. L., 40–4
*Phoronis psammophila*, 69, 71, 78, 84
Photosynthetic uptake rates of algae, 236–48
*Phragmites australis*, 16, 17
Phytoplankton
  in sewage-enriched estuary, 87–96
  inorganic carbon requirements, 236–48
  population dynamics, 90–2
  productivity, 92–3
Pien, N. C., M. L. Gleason, D. A. Elmer, and J. S. Fisher, 271–3
Pinfish, 157, 176
Place, A. R., M. E. Loftus, and H. H. Seliger, 236–48
*Platichthys stellatus*, 269
*Pleurobrachia*
  *bachei*, 100, 101
  *pileus*, 99
Poirrier, M. A., and M. R. Partridge, 204–6
*Polinices duplicatus*, 249
Polychaetes, 78–81, 83
*Polydora ligni*, 69, 71, 79, 84
Polymorphism, of serum transferrin, 269–70
*Pomatomus saltatrix*, 9
Pore water, manganese in, 198–201
Powell, A. B., and F. J. Schwartz, 276–9
*Prionotus*
  *carolinus*, 255–66
  evolans, 255–66
*Prorocentrum minimum*, 239–46
*Pseudocalanus*, 233
  *coronatus*, 265
Pseudomonads, 194
*Pseudopleuronectes americanus*, 249, 263

R

Rappahannock River, Virginia, 269–70
*Retusa canaliculata*, 277
Rhode River, Maryland, 236–48
Richards, S. W., J. M. Mann, and J. A. Walker, 255–68
Rideout, S. G., J. E. Johnson, and C. F. Cole, 119–23
Rosenfeld, L. K., M. J. Thompson, and L. E. Gilliland, 164–71
Russell, H. A., and J. E. Jeffrey, 269–70

S

*Sagitta elegans*, 62
Salinity indicator, 204–6
Salt marsh
  cord grass, 271–3
  creeks,
    freshwater intrusion in, 126–9
    use by larval and juvenile fish, 154–63
  detritus, 184–8
Salt marshes, 271–3
Sampler, suspended sediment, 135–6
Sanders, J. G., and E. J. Kuenzler, 87–96
Scallop, bay, 206–8
*Scenedesmus quadricauda*, 236
Schimmel, S. C., J. M. Patrick, Jr., L F. Faas, J. L. Oglesby, and A. J. Wilson, Jr., 9–15
Schmitz, K. B., H. H. White, and J. S. Heaton, 61–3
Schubel, J. R., H. H. Carter, and W M. Wise, 201–3
Schwartz, F. J., and A. B. Powell, 276–9
*Scirpus*
  *americanus*, 17
  *olneyi*, 18
  *robustus*, 16–21
*Scolelepis squamata*, 79
*Scoloplos robustus*, 71, 80
*Scophthalmus aquosus*, 263
Searobin, 255–66
Sediment
  accretion, 271–3
  suspended, caused by shrimp trawling, 201–3
  toxicity, 141–53
  transport 271–3
Sediments,
  bioassay in Baltimore Harbor, 141–53
  pollutants in, 141–53
*Selenastrum capricornitum*, 236
Seliger, H. H., M. E. Loftus, and A. R. Place, 236–48
Serpulidae, 213–7
Serum transferrin polymorphism, 269–70
Settlement patterns, of *Janua brasiliensis*, 213–7
Sewage
  effluent, 87–96
  sludge fertilization on cordgrass, 50–3
Shaeffer, J., C. Tsai, J. Welch, K. Chang, and L. E. Cronin, 141–53
Shenker, J. M., and J. M. Dean, 154–63
Shipworms, phytoplankton in diets of, 58–60
Shrimp,
  brown, 201–2
  fishery, as a source of suspended sediments, 201–3
  grass, 157
  white, 65
Silversides, Atlantic, 157
*Siphonoecetes smithianus*, 66
*Skeletonema costatum*, 91, 92, 94
Smedes, G. W., T. A. Dean, and L. E. Hurd, 28–33
Smith, N. P., 218–27
Snail, moon, 249
*Spartina*, 250
  *alterniflora*, 16, 50–3, 87, 156, 184, 217–3
    influence of nitrogen fertilization on, 106–12
    salt marsh in Georgia, 113–8
  *cynosuroides*, 16
  *detritus*, 206
  *patens*, 16
Spawning seasons, of searobins, 255–66
*Spiochaetopterus oculatus*, 69, 71, 76, 84
*Spirorbis*
  *borealis*, 213
  *corallinae*, 213, 216
  *foraminosus*, 216
Spot, 69, 70, 142–52, 157–8
Stauffer, J. R., Jr., L. W. Hall, Jr., and C. H. Hocutt, 129–32
*Stenotomus chrysops*, 263

Stevenson, L. H., R. T. Weiland, and T. H. Chrzanowski, 126–9
*Streblospio benedicti*, 69, 71, 76, 77
Succession, seasonal, of *Acartia*, 228–35
Suction dredge sampler, portable, 54–8
  description of apparatus, 54
  limitations of, 57
  normal operation of, 54–6
  sampling substrate, 56–7
Surface microlayer, 194–7
Suspended particulates, effects on optical properties of water, 164–71
*Syngnathus*, 156
  *fuscus*, 263

T

*Tachidius brevicornis*, 132–4
*Temora*, 233
  *longicornis*, 265
Tempel, N., C. A. S. Hall, and B. J. Peterson, 178–83
*Teredo*
  *bartschi*, 59
  *fucifera*, 58
  *navalis*, 58
Terrapin, diamondback, in Delaware salt marsh, 28–33
*Thalassia testudinum*, 54, 56
Thompson, M. J., L. E. Gilliland, and L. K. Rosenfeld, 164–71
*Thunnus*, 269
Tidal dynamics, in Aransas Pass, 218–27
*Tigriopus*
  *fulvus*, 133
  *japonicus*, 132–4
*Tisbe* sp., 132–4
Toxicity, of Baltimore Harbor sediments, 141–53
*Trinectes maculatus*, 70
Trout, grey, 269–70
Tsai, C., J. Welch, K. Chang, J. Shaeffer, and L. E. Cronin, 141–53
Tuna, 269
Turner, R. D., J. A. Pechenik, and F. E. Perron, 58–60
*Typha*
  *angustifolia*, 18, 19, 20
  *latifolia*, 17

U

*Ulva* sp., 173
*Unciola irrorata*, 265
*Upogebia* sp., 263
Ustach, J. F., 273–6

V

*Vibrio* spp., 196
Virnstein, R. W., 69–86

W

Walden Creek Marsh, North Carolina, 106–12
Walford, L. A., in memorium, 211
Walker, J. A., S. W. Richards, and J. M. Mann, 255–68
Water exchanges, bay-shelf, 218–27
Water levels, Aransas Pass, 218–27
Water, hypersaline, 189–93
Weiland, R. T., T. H. Chrzanowski, and L. H. Stevenson, 126–9
Welch, J., C. Tsai, K. Chang, J. Shaeffer, and L. E. Cronin, 141–53
Wetland seed germination, 16–21
White, H. H., J. S. Heaton, and K. B. Schmitz, 61–3
Wicomico River, Maryland, white perch in, 129–32
Wilson, A. J., Jr., S. C. Schimmel, J. M. Patrick, Jr., L. J. Faas, and J. L. Oglesby, 9–15
Wind effects on tidal exchanges, 218–27
Windstress, 218–27
Wise, W. M., J. R. Schubel, and H. H. Carter, 201–3
Wiseman, W. J., Jr., 189–93

Y

York River, Virginia, 69, 184–8
  hard clams in, 1–8

Z

Zieman, J. C., and J. E. Drifmeyer, 16–21
Zooplankton, 97–105
*Zostera marina*, 213–7

# *Estuaries*

JOURNAL OF THE ESTUARINE RESEARCH FEDERATION

*Volume II, 1979*

MARTIN L. WILEY

*Managing Editor*

*Published By*

**Estuarine Research Federation**
**Chesapeake Biological Laboratory**
**Solomons, Maryland**

Estuaries Vol. 2, No. 4, p. ii–v, December 1979

# Table of Contents

## NUMBER 1, MARCH 1979

LARSEN, P. F. The distribution of heavy metals in the hard clam, *Mercenaria mercenaria*, in the lower Chesapeake Bay region ..... 1
SCHIMMEL, S. C., J. M. PATRICK, JR., L. F. FAAS, J. L. OGLESBY, AND A. J. WILSON, JR. Kepone®: Toxicity and bioaccumulation in blue crabs ..... 9
DRIFMEYER, J. E., AND J. C. ZIEMAN. Germination enhancement and inhibition of *Distichlis spicata* and *Scirpus robustus* seeds from Virginia ..... 16
MUNROE, T. A., AND R. A. LOTSPEICH. Some life history aspects of the seaboard goby (*Gobiosoma ginsburgi*) in Rhode Island ..... 22
HURD, L. E., G. W. SMEDES, AND T. A. DEAN. An ecological study of a natural population of diamondback terrapins (*Malaclemys t. terrapin*) in a Delaware salt marsh ..... 28
HAINES, E. B. Nitrogen pools in Georgia coastal waters ..... 34
PHELPS, H. L. Cadmium sorption in estuarine mud-type sediment and the accumulation of cadmium in the soft-shell clam, *Mya arenaria* ..... 40
PECHENIK, J. A. Leakage of ingested carbon by gastropod larvae, and its effect on the calculation of assimilation efficiency ..... 45

**Short Papers and Notes**

HAINES, E. B. Growth dynamics of cordgrass, *Spartina alterniflora* Loisel., on control and sewage sludge fertilized plots in a Georgia salt marsh ..... 50
BROOK, I. M. A portable suction dredge for quantitative sampling in difficult substrates ..... 54
PECHENIK, J. A., F. E. PERRON, AND R. D. TURNER. The role of phytoplankton in the diets of adult and larval shipworms, *Lyrodus pedicellatus* (Bivalvia: Teredinidae) ..... 58
WHITE, H. H., J. S. HEATON, AND K. B. SCHMITZ. Vertical migration of *Centropages typicus* (Copepoda) in Chesapeake Bay, with some thoughts on migration studies ..... 61
PEARSON, W. H., AND B. L. OLLA. Detection of naphthalene by the blue crab, *Callinectes sapidus* ..... 64
NELSON, W. G. Additions to the amphipod crustaceans of North Carolina ..... 66

**Announcements**

THE 17TH INTERNATIONAL CONFERENCE ON COASTAL ENGINEERING ..... 67
IN MEMORIUM—Patrick Campbell Adams (1947–1978) ..... 68

## NUMBER 2, JUNE 1979

VIRNSTEIN, R. W. Predation on estuarine infauna: Response patterns of component species ..... 69
SANDERS, J. G., AND E. J. KUENZLER. Phytoplankton population dynamics and productivity in a sewage-enriched tidal creek in North Carolina ..... 87
KREMER, P. Predation by the ctenophore *Mnemiopsis leidyi* in Narragansett Bay, Rhode Island ..... 97

MENDELSSOHN, I. A. The influence of nitrogen level, form, and application method on the growth response of *Spartina alterniflora* in North Carolina 106
GARDNER, W. S., AND R. B. HANSON. Dissolved free amino acids in interstitial waters of Georgia salt marsh soils 113

**Short Papers and Notes**

RIDEOUT, S. G., J. E. JOHNSON, AND C. F. COLE. Periodic counts for estimating the size of the spawning population of alewives, *Alosa pseudoharengus* (Wilson) 119
GRIMES, C. B., AND J. E. HOLLINGSWORTH. An automatic data processing system for storage and manipulation of life history, catch, and angler effort data 123
WEILAND, R. T., T. H. CHRZANOWSKI, AND L. H. STEVENSON. Influence of freshwater intrusion on microbial biomass in salt-marsh creeks 126
HALL, L. W., JR., C. H. HOCUTT, AND J. R. STAUFFER, JR. Temperature preference of the white perch, *Morone americana*, collected in the Wicomico River, Maryland 129
FINNEY, C. M. Salinity stress in harpacticoid copepods 132
LEATHERMAN, S. P. An inexpensive suspended sediment sampler 135

**Announcement**

HOW TO JOIN THE ESTUARINE RESEARCH FEDERATION 137
ERF ANNOUNCES FIFTH BIENNIAL INTERNATIONAL ESTUARINE RESEARCH CONFERENCE 138

NUMBER 3, SEPTEMBER 1979

TSAI, C., J. WELCH, K. CHANG, J. SHAEFFER, AND L. E. CRONIN. Bioassay of Baltimore Harbor sediments 141
SHENKER, J. M., AND J. M. DEAN. The utilization of an intertidal salt marsh creek by larval and juvenile fishes: Abundance, diversity and temporal variation 154
THOMPSON, M. J., L. E. GILLILAND, AND L. K. ROSENFELD. Light scattering and extinction in a highly turbid coastal inlet 164
GRANT, J., AND J. MCDONALD. Desiccation tolerance of *Eurypanopeus depressus* (Smith) (Decapoda: Xanthidae) and the exploitation of microhabitat 172
HALL, C. A. S., N. TEMPEL, AND B. J. PETERSON. A benthic chamber for intensely metabolic lotic systems 178
MARSH, D. H., AND W. E. ODUM. Effect of suspension and sedimentation on the amount of microbial colonization of salt marsh microdetritus 184
WISEMAN, W. J., JR. Hypersaline bottom water: Peard Bay, Alaska 189

**Short Papers and Notes**

FEHON, W. C., AND J. D. OLIVER. Taxonomy and distribution of surface microlayer bacteria from two estuarine sites 194
ARMSTRONG, P. B., W. B. LYONS, AND H. E. GAUDETTE. Application of formaldoxime colorimetric method for the determination of manganese in the pore water of anoxic estuarine sediments 198

SCHUBEL, J. R., H. H. CARTER, AND W. M. WISE. Shrimping as a source of suspended sediment in Corpus Christi Bay (Texas) ..... 201
POIRRIER, M. A., AND M. R. PARTRIDGE. The barnacle, *Balanus subalbidus*, as a salinity bioindicator in the oligohaline estuarine zone ..... 204
BURLE, E., AND W. W. KIRBY-SMITH. Growth of the bay scallop, *Argopecten irradians*, fed an artificial diet rich in protein ..... 206

**Book Reviews**

ESTUARINE TRANSPORT PROCESSES. Edited by Björn Kjerfve. Reviewed by Professor J. Williams ..... 209
TIDAL WETLAND PLANTS OF VIRGINIA. By Gene M. Silberhorn. Reviewed by Victor S. Kennedy ..... 209
THE EFFECTS OF TROPICAL STORM AGNES ON THE CHESAPEAKE BAY ESTUARINE SYSTEM. By The Chesapeake Research Consortium, Inc. Reviewed by Victor S. Kennedy ..... 209
AN ANNOTATED CHECKLIST OF THE BIOTA OF THE COASTAL ZONE OF SOUTH CAROLINA. Edited by Richard G. Zingmark. Reviewed by Victor S. Kennedy ..... 210

**Announcements**

IN MEMORIUM—Lionel A. Walford ..... 211

NUMBER 4, DECEMBER 1979

NELSON, W. G. Observations on the settlement patterns of *Janua* (*Dexiospira*) *brasiliensis* (Polychaeta: Serpulidae) ..... 213
SMITH, N. P. Tidal dynamics and low-frequency exchanges in the Aransas Pass, Texas ..... 218
LEE, W. Y., AND B. J. MCALICE. Seasonal succession and breeding cycles of three species of *Acartia* (Copepoda: Calanoida) in a Maine estuary ..... 228
LOFTUS, M. E., A. R. PLACE, AND H. H. SELIGER. Inorganic carbon requirements of natural populations and laboratory cultures of some Chesapeake Bay phytoplankton ..... 236
KELSO, W. E. Predation on soft-shell clams, *Mya arenaria*, by the common mummichog, *Fundulus heteroclitus* ..... 249
RICHARDS, S. W., J. M. MANN, AND J. A. WALKER. Comparison of spawning seasons, age, growth rates, and food of two sympatric species of searobins, *Prionotus carolinus* and *Prionotus evolans*, from Long Island Sound ..... 255

**Short Papers and Notes**

RUSSELL, H. A., AND J. E. JEFFREY. Serum transferrin polymorphism in grey trout, *Cynoscion regalis*, from the lower Rappahannock River ..... 269
GLEASON, M. L., D. A., ELMER, N. C. PIEN, AND J. S. FISHER. Effects of stem density upon sediment retention by salt marsh cord grass, *Spartina alterniflora* Loisel ..... 271
USTACH, J. F. Effects of sublethal oil concentrations on the copepod, *Nitocra affinis* ..... 273
POWELL, A. B., AND F. J. SCHWARTZ. Food of *Paralichthys dentatus* and *P. lethostigma* (Pisces: Bothidae) in North Carolina estuaries ..... 276

**Announcements**

SUSTAINING MEMBERS OF THE ESTUARINE RESEARCH FEDERATION FOR 1979 280
IN MEMORIUM—Walter Albert Chipman, Jr ..... 280
**Index to Volume 2** ..... 282